

## AUTHOR INDEX

### VOLUME 48 (1977)

- |                        |                            |                       |
|------------------------|----------------------------|-----------------------|
| Aiyar, A.S., 17        | Hakkinen, P.J., 295        | Mohn, G.R., 367       |
| Akiyama, A., 319       | Hansen, E.V., 267          | Morita, K., 237       |
| Alving, J., 361        | Harsany, Z., 51            | Muriel, W.J., 287     |
| Arenaz, P., 187        | Herbold, B., 249           | Muthiani, E., 1       |
| Aune, T., 313          | Hospool, G., 287           |                       |
| Azevedo, J.L., 163     | House, D.E., 95            | Nagao, M., 121        |
|                        | Huang, P.C., 43            | Nemenzo, J.H., 295    |
|                        | Huang, S.L., 37            | Nishioka, H., 195     |
| Basler, A., 249        |                            |                       |
| Batzinger, R.P., 37    | Ishidate Jr., M., 337      | Odashima, S., 337     |
| Blijleven, W.G.H., 181 | Ivanova, J.E., 355         | Ohnishi, Y., 237      |
| Bonatelli Jr., R., 163 |                            | Okada, M., 121        |
| Bordás, S., 1          | Jacobs, J.J.J.A.A., 155    | Okamoto, H., 279, 319 |
| Brewen, J.G., 117      | Jarvil, L.F., 89, 255      | Ong, T.-M., 37        |
| Bridges, B.A., 287     | Jensen, M.K., 361          |                       |
| Bridges, J.W., 287     | Johnson, I.J., 103         | Paoletti, C., 139     |
| Bueding, E., 37        | Joner, P.E., 313           | Peter, S., 249        |
| Burki, K., 367         |                            | Plewa, M.J., 113      |
| Butour, J.-L., 139     | Kellicutt, L., 145         | Podger, D.M., 307     |
|                        | Knelson, J.H., 95          | Políková, Z., 355     |
| Callen, D.F., 37       | Knudsen, I., 267           | Poulsen, E., 267      |
| Creasia, D.A., 117     | Kučerová, M., 355          |                       |
| Curphey, T.J., 109     |                            | Rand, M.J., 205       |
|                        | Lang, R., 75               | Rao, V.S., 17         |
| Dahle, H.K., 313       | Lecointe, P., 139          | Reccius, N., 255      |
| Daniel, D.S., 109      | Lee, K., 131               | Reddy, T.P., 191      |
| Drozdowicz, B.Z., 43   | Longnecker, D.S., 109      | Roberts, G., 205      |
| Dybing, E., 313        | Luippold, H.E., 117        | Rogers, A.M., 287     |
|                        |                            | Röhrborn, G., 249     |
| Fiscor, G., 1          | MacGregor, J.T., 103       | Roman, I.C., 215      |
| Fisher, H., 255        | Mackenzie, D.W.R., 51      | Rummo, N.J., 95       |
| Frank, I.M., 255       | MacPhee, D.G., 307         |                       |
| Fry, J.R., 287         | Macquet, J.P., 139         | Santana, E.P., 163    |
| Fu, T.-K., 89, 255     | Maier, P., 367             | Seiler, J.P., 225     |
| Fukuhara, Y., 319      | Matsumoto, T., 279         | Seino, Y., 121        |
|                        | Matsushima, T., 121        | Shahin, M.M., 173     |
| Gentile, J.M., 113     | Matsuyama, S.S., 255       | Sparkeo, R.S., 255    |
| Georgian, L., 215      | McKenzie, W.H., 95         | Sugimura, T., 121     |
| Gold, B., 131          | Meyer, H., 361             |                       |
| Gooch, O.C., 117       | Meyer, O.A., 267           | Takashima, T., 29     |
| Goodman, D.R., 295     | Milvy, P., 271             | Takahashi, K., 237    |
| Granek, I.A., 51       | Mirvish, S.S., 131         | Takeyoshi, H., 237    |
| Green, M.H.L., 289     | Mizusaki, S., 29, 279, 319 | Tatsumi, K., 195      |

Thomson, S., 145  
 Tokiwa, H., 237  
 Tomaru, K., 29

Vaidyanath, K., 191  
 Van der Stel, J.J., 155  
 Verburgt, F.G., 327  
 Vogel, E., 327

Von Borstel, R.C., 173  
 Voogd, C.E., 155  
 Vore, M., 295

Wade, S.M., 1  
 Wagner, E.D., 113  
 Wertz, G.F., 1  
 Wolff, M., 271

Yahagi, T., 121  
 Yen, F.-S., 255  
 Yoshida, D., 279

Zhurkov, V.S., 355  
 Zimmer, D.M., 1

## SUBJECT INDEX

### VOLUME 48 (1977)

- Aberrations, in lymphocytes, of persons exposed to epichlorohydrin, 355
- ABS-sodium, chromosomal aberration test, 337
- Acephate, nitrosation, and mutagenicity, 225
- 2-Acetamidofluorene, simplified bacterial fluctuation test, 287
- Acetanilide, testing, 337
- Acrylonitrile, mutagenic studies, 271
- Activation, metabolic, *in vitro*, of ethidium bromide, in *S. typhimurium*, 103
- , —, use of microsomal preparations and whole liver cells for, simplified fluctuation test, 287
- , microsomal, of viprymium embonate, to mutagen, 307
- Additive, of food, nitrovin, testing of, 313
- Air, pollutants, particulate, mutagenic activity, 237
- Alachlor, weak recombinogenic activities, 113
- Alcohol, consumption, of man, and treatment with ethyl alcohol in *A. nidulans*, 51
- Aldicarb, nitrosation and mutagenicity, 225
- Amaranth, red 2, testing, 337
- Amino acid pyrolysates, in *S. typhimurium*, 279
- Aminopyrine, testing, 337
- 4-Aminoquinoline-1-oxide, testing, 337
- N-Amyl-N'-nitroguanidine, testing, 337
- N-Amyl-N'-nitro-N-nitrosoguanidine, testing, 337
- N-Amyl-N-nitrosourea, testing, 337
- N-Amyl-N-nitrosourethane, testing, 337
- Amylturethane, testing, 337
- Amylurea, testing, 337
- Aniline hydrochloride, testing, 337
- Antepar, mutagenicity testing, 307
- Anthanthrene, in air pollutants, mutagenic activity, 237
- Anthelmintics, tests on, 307
- Antibacterial, activity, effect of DNA repair systems on, of neocarzinostatin, in *E. coli*, 195
- Antischistosomal, drug, F30066, various test systems, 37
- Anti-tuberculosis drugs, *in vitro* cytogenetic effects, 215
- Antitumour protein, neocarzinostatin, effect on *E. coli*, 195
- Antu, nitrosation and mutagenicity, 225
- Argemone mexicana, effect of Argemone oil in *Oryza sativa*, 191
- Argemone oil, in *Oryza sativa*, 191
- Aspergillus nidulans*, resistance to chloroneb and vitavax, 163
- Aspergillus nidulans*, treatment with ethyl alcohol, 51
- Assay, dominant-lethal, in male mice, with methyl methanesulphonate, 75
- , host-mediated, and fluid-mediated, mammalian, of captan and streptozotocin, in *S. typhimurium*, 1
- , —, mutagenicity of irradiated sugar solutions in *S. typhimurium*, 17
- , host-mediated, use of bacteriophages as indicators in, 367
- Atrazine, weak recombinogenic activities, 113
- Bacterial, fluctuation test, simplified, mutagen screening by, 287
- , spot test, mutagenicity of nitrogenous pesticides, 225
- Bacteriophages, use of, as indicators in host-mediated assays, 367
- Barbital, testing, 337
- Benomyl, nitrosation and mutagenicity, 225
- $\alpha$ -Benzene hexachloride, lethal effects in *S. cerevisiae*, 173
- $\gamma$ -Benzene hexachloride, testing, 337
- Benzoanthracene, in air pollutants, mutagenic activity, 237
- Benzofluoranthene, in air pollutants, mutagenic activity, 237
- Benzofluorene, in air pollutants, mutagenic activity, 237
- Benzofuroxans, in *S. typhimurium*, 145
- Benzoperylene, in air pollutants, mutagenic activity, 237

- Benzopyrene, in air pollutants, mutagenic activity, 237
- Benzotetraphene, in air pollutants, mutagenic activity, 237
- Benz(a)pyrene, simplified bacterial fluctuation test, 287
- Benzthiazuron, nitrosation and mutagenicity, 225
- N*-Benzyl-*N*-benzoylaminomethylnitrosamine, testing, 337
- N*-Benzyl-*N*-propionoylaminomethylnitrosamine, testing, 337
- Bioassay, plant-activation, weak recombinogenic activities in alachlor and propachlor, using, 113
- Blood, cultures, peripheral, human, cytogenetic effects of antituberculosis drugs, *in vitro*, 215
- , human and rat, host-mediated assay of captan and streptozotocin in *S. typhimurium*, 1
- , lymphocytes, peripheral, chromosome studies of, from diphenylhydantoin-treated patients, 361
- , peripheral, cytogenetic effects of inhaled ozone in man, 95
- , stream, of mice, longevity of phages  $\lambda$ , T4 and in, 367
- Bone marrow, cells, of Chinese hamster, genetical hazards of chrysene, 249
- , —, chromosome studies of, from diphenylhydantoin-treated patients, 361
- Buturon, nitrosation and mutagenicity, 225
- Butyl-(1-acetoxy)butylnitrosamine, testing, 337
- Butyl-acetoxymethylnitrosamine, testing, 337
- sec*-Butyl-acetoxymethylnitrosamine, testing, 337
- N*-Butyl-*N*-acetylaminomethylnitrosamine, testing, 337
- N*-i-Butyl-*N*-benzoylaminomethylnitrosamine, testing, 337
- Butylbutanolamine, testing, 337
- Butylbutanolnitrosamine, testing, 337
- Butylhydroxyanisole, testing, 337
- Butyl-methoxymethylnitrosamine, testing, 337
- sec*-Butyl-methoxymethylnitrosamine, testing, 337
- N*-Butyl-*N'*-nitroguanidine, testing, 337
- N*-i-Butyl-*N'*-nitroguanide, testing, 337
- N*-Butyl-*N'*-nitro-*N*-nitrosoguanidine, testing, 337
- N*,i-Butyl-*N'*-nitro-*N*-nitrosoguanidine, testing, 337
- N*-Butyl-*N*-nitrosourea, testing, 337
- N*,i-Butyl-*N*-nitrosourea, testing, 337
- N*-Butyl-*N*-nitrosourethane, testing, 337
- N*,i-Butyl-*N*-nitrosourethane, testing, 337
- Butylphthalyl-butylglycolate, testing, 337
- Butylurea, testing, 337
- iso*-Butylurea, testing, 337
- Butylurethane, testing, 337
- 150C47, in *S. typhimurium*, 103
- Cancer, anti-, nitrobenzofuroxans, mutagenicity, 145
- Caprolactone, testing, 337
- Captan, in *S. typhimurium*, 1
- Carbaryl, nitrosation and mutagenicity, 225
- Carbendazim, nitrosation and mutagenicity, 225
- Carbidium, in *S. typhimurium*, 103
- Carbofuran, nitrosation and mutagenicity, 225
- Carcinogens, chemical, screening for, 337
- Cells, of bone marrow, of Chinese hamster, genetical hazards of chrysene, 249
- , —, chromosome studies of, from diphenylhydantoin-treated patients, 361
- , of germ, of *D. melanogaster*, mutagenicity of four hair dyes, 181
- , of yeast, effects of  $\alpha$ -benzene hexachloride, dibutyl phthalate and trichloroethylene, 173
- Chemical, carcinogens, screening for, 337
- , constituents, of tobacco, and activity of cigarette smoke condensate, 319
- Chinese hamster, bone marrow cells and spermatogonia, genetical hazards of chrysene *in vitro* and *in vivo*, 249
- , cells, chromosome tests with 134 compounds on, *in vitro* study, 337
- , —, mutation induction by F30066, 37
- Chlorobromuron, nitrosation and mutagenicity, 225
- Chloroneb, resistance in *A. nidulans*, 163
- Chlorophyll, development, and treatment with hycanthone methanesulphonate, in *Glycine max*, 187
- , mutation, and effect of Argemone oil, in *Oryza sativa*, 191
- Chlorothiamid, nitrosation and mutagenicity, 225
- Chlorotoluron, nitrosation and mutagenicity, 225
- Chromosomal, aberrations, in lymphocytes, of persons exposed to epichlorohydrin, 355
- , damage, by ergot derivatives, *in vitro*, 205
- Chromosome, tests, with 134 compounds, in Chinese hamster cells, *in vitro*, 337
- Chromosome, tests, with 134 compounds, in



- Chinese hamster cells, *in vitro*, 337
- Chromosomes, human, *in vitro* effects of imipramine, 89
- , —, of lymphocyte, and exposure to marijuana, *in vivo*, 255
  - , of mouse, and nitrogen dioxide inhalation, 117
  - , study of diphenylhydantoin-treated patients, 361
- Chrysene, in air pollutants, mutagenic activity, 237
- , *in vitro* and *in vivo*, genetical hazards, 249
- Cigarettes, marijuana, exposure *in vivo*, and human lymphocyte chromosomes, 255
- , smoke condensate, chemical constituents of tobacco and activity of, 319
  - , —, in *S. typhimurium*, factors affecting mutagenic activity, 29
- Citrobacter freundii*, mutagenic action of nitroimidazoles, 155
- CMC-sodium, testing, 337
- Combantrin, mutagenicity testing, 307
- Condensate, of cigarette smoke, chemical constituents of tobacco, and activity of, 319
- , —, in *S. typhimurium*, factors affecting mutagenic activity, 29
- Conidia, diploid, heterozygous, of *Anidulans*, treatment with ethyl alcohol, 51
- , of *N. crassa*, treatment with vinyl chloride, 43
- Cricetulus griseus*, genetical hazards of chrysene, 249
- Crossing-over, somatic, and hycanthone methanesulphonate treatment in *Glycine max*, 187
- Cultures, of human peripheral blood, cytogenetic effects of anti-tuberculosis drugs, *in vitro*, 215
- Cypendazole, nitrosation and mutagenicity, 225
- Cytogenetic, effects, of anti-tuberculosis drugs, *in vitro*, 215
- , —, of inhaled ozone, in man, 95
- Cytogenetics, *in vivo*, evaluation of nitro-furan derivatives, 295
- Damage, chromosomal, by ergot derivatives, *in vitro*, 205
- , genetic, by ethyl alcohol, in *A. nidulans*, 51
- Daminozide, nitrosation and mutagenicity, 225
- Death, foetal, method for simultaneous detection of germ-cell mutations leading to, and of malformations, in mammals, 267
- Derivatives, of ergot, chromosomal damage, *in vitro* treatment, 295
- , of nitro-furan, mutagenic evaluation, 295
- Detection, simultaneous, of germ-cell mutations leading to foetal death, and of malformations in mammals, 267
- Dextrane, testing, 337
- 2,4-Diaminoanisole sulphate, in *D. melanogaster*, 181
- 4,6-Diamino-2(5-nitro-2-furyl)-s-triazine, mutagenic evaluation, 295
- 2,4-Diaminotoluene, in *D. melanogaster*, 181
- Dibenzoanthracene, in air pollutants, mutagenic activity, 237
- Dibutylamine, testing, 337
- Dibutyl-hydroxytoluene, testing, 337
- Dibutyl-nitrosamine, testing, 337
- N,N'*-Dibutyl-*N*-nitroso-urea, testing, 337
- Dibutylphthalate, in air pollutants, mutagenic activity, 237
- , lethal effects in *S. cerevisiae*, 173
  - , testing, 337
- N,N'*-Dibutylurea, testing, 337
- 1,4-Dichloro-2,5-dimethoxybenzene, resistance in *A. nidulans*, 163
- Diethylamine-HCF, testing, 337
- Diethylcarbamazine, and hetrazan testing, 307
- Di-2-ethyl hexyl phthalate, in air pollutants, mutagenic activity, 237
- , testing, 337
- Diethyl-phthalate, testing, 337
- Diethylstilbestrol, testing, 337
- 2,3-Dihydro-5-carboxanilido-6-methyl-1,4-oxathiin, resistance in *A. nidulans*, 163
- Dihydroergotoxine, in human lymphocytes, *in vitro* treatment, 205
- Dimethoate, nitrosation and mutagenicity, 225
- 9,10-Dimethyl-1,2-benzanthracene, simplified bacterial fluctuation test, 287
- 2-(2,2-Dimethylhydrazinol)-4-(5-nitro-2-furyl)-thiazole, mutagenic evaluation, 295
- Dimethylnitrosamine, testing, 337
- 3,4-Dimethylphenyl-*N*-methylcarbamate, testing, 337
- 3,4-Dimethylphenyl-*N*-nitroso-*N*-methylcarbamate, testing, 337
- Dioxacarb, nitrosation and mutagenicity, 225
- Diphelyn, testing, 337
- Diphenylhydantoin, treated patients, chromosome studies of, 361
- Diploid, conidia, heterozygous, of *A. nidulans*, treatment with ethyl alcohol, 51
- Diuron, nitrosation and mutagenicity, 225
- Divermex, mutagenicity testing, 307
- DNA, repair systems, effect of, on activity

- of neocarzinostatin, 195
- Dodin, nitrosation and mutagenicity, 225
- Dominant-lethal, assay, in male mice, with methyl methanesulphonate, 75
- Dominant lethality, method for simultaneous detection of germ-cell mutations leading to, and of malformations, in mammals, 267
- Drosophila melanogaster*, mutagenicity of four hair dyes, 181
- Drosophila melanogaster*, vinyl chloride mutagenesis, 327
- Drug, antischistosomal, F30066, various test systems, 37
- , anti-tuberculosis, *in vitro* cytogenetic effects, 215
- , diphenylhydantoin, treated patients, chromosome studies of, 361
- Dyes, of hair, mutagenicity in *D. melanogaster*, 181
- , neutral red, mutagenicity in *S. typhimurium*, 109
- Epichlorohydrin, occupational exposure of persons, 355
- Epilepsy, chromosome studies of diphenylhydantoin-treated patients, 361
- Ergot, derivatives, chromosomal damage, *in vitro*, 205
- Ergotamine, in human lymphocytes, *in vitro* treatment, 205
- Escherichia coli*, effect of neocarzinostatin, 195
- , mutagenic action of nitroimidazoles, 155
- Ethidium bromide, *in vitro* metabolic activation, in *S. typhimurium*, 103
- Ethiofencarb, nitrosation and mutagenicity, 225
- Ethyl alcohol, in *A. nidulans*, 51
- N-Ethyl-N-benzoylaminomethylnitrosamine, testing, 337
- Ethyl carbamate, testing, 337
- 1,1'-Ethylene-bis(1-nitrosourea), testing, 337
- N,N-Ethylenethiourea, nitrosation and mutagenicity, 225
- N-Ethyl-N'-nitroguanidine, testing, 337
- N-Ethyl-N'-nitro-N-nitrosoguanidine, testing, 337
- N-Ethyl-N-nitrosourea, testing, 337
- N-Ethyl-N-nitrosourethane, testing, 337
- Ethylurea, testing, 337
- N-Ethylurethane, testing, 337
- Ethynylestradiol, testing, 337
- F30066, in various test systems, 37
- Fluctuation, test, bacterial, simplified, mutagen screening by, 287
- , —, mutagenic action of nitroimidazoles, 155
- Fluid-mediated, assay, mammalian of captan and streptozotocin, in *S. typhimurium*, 1
- Fluometuron, nitrosation and mutagenicity, 225
- Fluoranthene, in air pollutants, mutagenic activity, 237
- Fluorescent brightener, 84, 225 and 260, testing, 337
- Fluorodeoxyuridine, hycanthone methane-sulphonate with or without, in *Glycine max*, 187
- Foetal, death, method for simultaneous detection of germ-cell mutations leading to, and of malformations, in mammals, 267
- Food, additive, nitrovin, testing of, 313
- Formelate, nitrosation and mutagenicity, 225
- Fukuoka, mutagenic activity in particulate air pollutants, 237
- Fungicides, chloroneb and vitavax, resistance in *A. nidulans*, 163
- Furapromidium, in various test systems, 37
- Furylamide, mutagenic evaluation, 295
- 2-(2-Furyl)-3-(5-nitro-2-furyl)-acrylamide, evaluation, 295, 337
- Genetic, damage, by ethyl alcohol, in *A. nidulans*, 51
- Germ, cells, of *D. melanogaster*, mutagenicity of four hair dyes, 181
- Germ-cell mutations, leading to foetal death, method for simultaneous detection of, and of malformations, in mammals, 267
- Germination, and effect of Argemone oil, in *Oryza sativa*, 191
- Glycine max*, hycanthone methanesulphonate treatment, 187
- Glyphosate, nitrosation and mutagenicity, 225
- Guanidine carbonate, hydrochloride, nitrate and phosphate, testing, 337
- Hair dyes, mutagenicity in *D. melanogaster*, 181
- Herbicides, alachlor and propachlor, weak recombinogenic activities, 113
- Heritable, translocation test, and dominant-lethal assay, in male mice, with methyl methanesulphonate, 75
- Heterozygous, diploid conidia, of *A. nidulans*, treatment with ethyl alcohol, 51
- Hetrazan, mutagenicity testing, 307
- Host-mediated, assay, mammalian, of captan and streptozotocin, in *S. typhimurium*, 1

- , —, mutagenicity of irradiated sugar solutions in *S. typhimurium*, 17
- , —, use of bacteriophages as indicators in, 367
- Human, blood, and host-mediated assay of captan and streptozotocin, in *S. typhimurium*, 1
- , chromosomes, *in vitro* effects of imipramine, 89
- , clinical data, on alcohol consumption, and treatment with ethyl alcohol in *A. nidulans*, 51
- , lymphocyte, chromosomes, and exposure to marijuana, *in vivo*, 255
- , —, damage by ergot derivatives, *in vitro*, 205
- , peripheral blood cultures, cytogenetic effects of anti-tuberculosis drugs, *in vitro*, 215
- Hycanthone methanesulphonate, in *Glycine max*, 187
- Hydrocarbons, polycyclic, in air pollutants, mutagenic activity, 237
- , —, mutagenicity, 249
- 3-Hydroxy-anthranilic acid, testing, 337
- 1-(2-Hydroxyethyl)-3-[(5-nitrofurfurylidine)-amino]-2-imidazolidinone, mutagenic evaluation, 295
- Imipramine, in human chromosomes, *in vitro* effects, 89
- Indicators, in host-mediated assays, use of bacteriophages as, 367
- Indole, derivatives, activity in *S. typhimurium*, 279
- Inhalation, of nitrogen dioxide, observations on mouse chromosomes following, 117
- , of ozone, in man, cytogenetic effects, 95
- Instability, mitotic, in chloroneb and vitavax, in *A. nidulans*, 163
- Ipronidazole, mutagenic action of, 155
- Irradiation,  $\gamma$ , of sugar solutions, in *S. typhimurium*, 17
- , —, and treatment with Argemone oil, in *Oryza sativa*, 191
- , UV, and vinyl chloride in *N. crassa* strains, 43
- Isogenic, strains, of *E. coli*, effect of neocarzinostatin, 195
- N-Isopropyl-3-(5-nitro-2-furyl)acrylamide, in various test systems, 37
- Klebsiella pneumoniae*, mutagenic action of nitroimidazoles, 155
- Lethal, effects, of  $\alpha$ -benzene hexachloride, dibutyl phthalate and trichloroethylene, 173
- Lethality, dominant, method for simultaneous detection of germ-cell mutations leading to, and of malformations, in mammals, 267
- Leucocytes, cultures, *in vitro* effects of imipramine on human chromosomes, 89
- , of mouse, and inhalation of nitrogen dioxide, 117
- Linuron, nitrosation and mutagenicity, 225
- Liver, cells, whole, use of microsomal preparations and, for metabolic activation, simplified fluctuation test, 287
- Longevity, of phages  $\lambda$ , T4 and  $\mu$ , in blood stream of mice, 367
- Lymphocytes, chromosomes, human, and exposure to marijuana, *in vivo*, 255
- , human, damage by ergot derivatives, *in vitro*, 205
- , of peripheral blood, chromosome studies of, from diphenylhydantoin-treated patients, 361
- , of persons, exposed to epichlorohydrin, aberration analysis, 355
- Maize, extracts, from plants treated with herbicide, mitotic gene conversion in *S. cerevisiae* by, 113
- Male, mouse, heritable translocation test, and dominant-lethal assay, with methyl methanesulphonate, 75
- , teratogenicity, method for simultaneous detection of germ-cell mutations leading to foetal death, and of, in mammals, 267
- Malformations, in mammals, method for simultaneous detection of germ-cell mutations leading to foetal death, and of, 267
- Mammalian, host-mediated assays, of captan and streptozotocin, in *S. typhimurium*, 1
- , —, mutagenicity of irradiated sugar solutions in *S. typhimurium*, 17
- Mammals, method for simultaneous detection of germ-cell mutations leading to foetal death, and of malformations, 267
- Man, cytogenetic effects of inhaled ozone, 95
- , exposed to epichlorohydrin, analysis of aberrations, 355
- Marijuana, exposure, *in vivo*, and human lymphocyte chromosomes, 255
- Methabenziazuron, nitrosation and mutagenicity, 225
- Metabolic, activation, *in vitro*, of ethidium bromide, in *S. typhimurium*, 103
- , —, use of microsomal preparations and whole liver cells for, simplified fluctuation test, 287
- Method, for simultaneous detection of germ-



- cell mutations leading to foetal death, and of malformations in mammals, 267
- Methomyl, nitrosation and mutagenicity, 225
- N*-Methyl-*N*-acetylaminomethylnitrosamine, testing, 337
- N*-Methyl-*N'*-acetyl-*N*-nitrosourea, 337
- N*-Methyl-*N'*-acetylurea, testing, 337
- Methylazoxymethanol acetate, testing, 337
- Methyl-benzoanthracene, in air pollutants, mutagenic activity, 237
- Methyl-benzofluoranthene, in air pollutants, mutagenic activity, 237
- Methyl-benzopyrene, in air pollutants, mutagenic activity, 237
- Methyl-chrysene, in air pollutants, mutagenic activity, 237
- 2-Methyl-4-dimethylaminoazobenzene, testing 337
- N*-Methylguanidine, testing, 337
- Methylmethanesulphonate, heritable translocation test and dominant-lethal assay in male mice with, 75
- , and vinyl chloride, in *N. crassa* strains, 43
- 4-Methyl-1-[(5-nitrofurfurylidine)amino]-2-imidazolidinone, mutagenic evaluation, 295
- N*-Methyl-*N'*-nitroguanidine, testing, 337
- N*-Methyl-*N'*-nitro-*N*-nitrosoguanidine, testing, 337
- N*-Methyl-*N*-nitrosourea, testing, 337
- N*-Methyl-*N*-nitrosourethane, testing, 337
- 3-Methylphenyl-*N*-methylcarbamate, testing, 337
- 3-Methylphenyl-*N*-nitroso-*N*-methylcarbamate, testing, 337
- Methyl-triphenylene, in air pollutants, mutagenic activity, 237
- Methylurea, testing, 337
- N*-Methylurethane, testing, 337
- Methysergide, in human lymphocytes, *in vitro* treatment, 205
- Metoxuron, nitrosation and mutagenicity, 225
- Micronucleus, test, evaluation of nitrofuran derivatives, 295
- Microsomal, activation, of vipryinium embonate, to mutagen, 307
- , preparations, use of, and whole liver cells, for metabolic activation, simplified fluctuation test, 287
- , test system, factors affecting mutagenic activity of cigarette smoke condensate in *S. typhimurium*, 29
- Mintezol, mutagenicity testing, 307
- Mitotic instability, in chloroneb and vitavax, in *A. nidulans*, 163
- Monolinuron, nitrosation and mutagenicity, 225
- Monuron, nitrosation and mutagenicity, 225
- Mouse, blood, host-mediated assay of captan and streptozotocin, in *S. typhimurium*, 1
- , chromosomes, and nitrogen dioxide inhalation, 117
- , longevity of phages in blood stream, 367
- , male, heritable translocation test, and dominant-lethal assay, with methyl methanesulphonate, 75
- , mutagenicity of nitrogenous pesticides, 225
- , NMRI, oocytes, genetical hazards of chrysene, 249
- Mutagen, 2-acetamidofluorene, simplified bacterial fluctuation test, 287
- , acrylonitrile, studies, 271
- , alachlor, weak recombinogenic activities, 113
- , amino acid pyrolysates, in *S. typhimurium*, 279
- , anthelmintics, test on, 307
- , anti-tuberculosis drugs, cytogenetic effects, *in vitro*, 215
- , argemone oil, in *Oryza sativa*, 191
- , atrazine, weak recombinogenic activities, 113
- ,  $\alpha$ -benzene hexachloride, lethal effects in *S. cerevisiae*, 173
- , benzofuroxans, in *S. typhimurium*, 145
- , benz(a)pyrene, simplified bacterial fluctuation test, 287
- , 150C47, in *S. typhimurium*, 103
- , captan, in *S. typhimurium*, 1
- , carbidium, in *S. typhimurium*, 103
- , chloroneb, resistance, in *A. nidulans*, 163
- , chrysene, *in vitro* and *in vivo*, genetical hazards, 249
- , 2,4-diaminoanisole sulphate, in *D. melanogaster*, 181
- , 4,6-diamino-2(5-nitro-2-furyl)-s-triazine, evaluation, 295
- , 2,4-diaminotoluene, in *D. melanogaster*, 181
- , dibutyl phthalate, lethal effects in *S. cerevisiae*, 173
- , 1,4-dichloro-2,5-dimethoxybenzene, resistance in *A. nidulans*, 163
- , 2,3-dihydro-5-carboxanilido-6-methyl-1,4-oxathiin, resistance in *A. nidulans*, 163
- , dihydroergotoxine, in human lymphocytes, *in vitro* treatment, 205
- , 9,10-dimethyl-1,2-benzanthracene, simplified bacterial fluctuation test, 287
- , 2-(2,2-dimethylhydrazinol)-4-(5-nitro-2-



- furyl)-thiazole, evaluation, 295
- , epichlorohydrin, 355
  - , ergotamine, in human lymphocytes, *in vitro* treatment, 205
  - , ergot derivatives, *in vitro* treatment, 205
  - , ethidium bromide, *in vitro* metabolic activation, in *S. typhimurium*, 103
  - , ethyl alcohol, in *A. nidulans*, 51
  - , F30066, in various test systems, 37
  - , furapromidium, various test systems, 37
  - , furylamide, evaluation, 295
  - , 2-(2-furyl)-3-(5-nitro-2-furyl)acrylamide, evaluation, 295
  - , hycanthone methanesulphonate, in *Glycine max*, 187
  - , 1-(2-hydroxyethyl)-3-[(5-nitrofurfurylidine)-amino]-2-imidazolidinone, evaluation, 295
  - , imipramine, in human chromosomes, *in vitro* effects, 89
  - , indole derivatives, activity in *S. typhimurium*, 279
  - , ipronidazole, action of, 155
  - , *N*-isopropyl-3-(5-nitro-2-furyl)acrylamide, in various test systems, 37
  - , methyl methanesulphonate, heritable translocation test and dominant-lethal assay in male mice with, 75
  - , —, and vinyl chloride, in *N. crassa* strains, 43
  - , 4-methyl-1-[(5-nitrofurfurylidine)amino]-2-imidazolidinone, mutagenic evaluation, 295
  - , methysergide, in human lymphocytes, *in vitro* treatment, 205
  - , neocarzinostatin, in *E. coli*, 195
  - , neutral red, in *S. typhimurium*, 109
  - , nigroxime, evaluation, 295
  - , nitrobenzofuroxans, in *S. typhimurium*, 145
  - , 5-nitro-2-furaldehyde oxime, evaluation, 295
  - , 5-nitro-2-furaldehyde semicarbazone, evaluation in *S. typhimurium*, 295
  - , 5-nitro-2-furamidoxine, evaluation, 295
  - , nitrofurans derivatives, evaluation, 295
  - , 5-nitro-2-furanmethandiol diacetate, evaluation, 295
  - , nitrofurantoin, evaluation, 295
  - , nitrofurazone, evaluation, 295
  - , *N*-(5-nitro-2-furfurylidine)-1-aminohydantoin, evaluation, 295
  - , *N*-[5-(5-nitro-2-furyl)-1,3,4-thiadiazol-2-yl]acetamide, evaluation, 295
  - , *N*-*N'*-[6-(5-nitro-2-furyl)s-triazine-2,4-diyl]bis-acetamide, evaluation, 295
  - , nitrogen dioxide inhalation, observation on mouse chromosomes following, 117
  - , nitrogenous pesticides, 225
  - , nitroimidazoles, 155
  - , 4-nitro-*O*-phenylenediamine, in *D. melanogaster*, 181
  - , *N*-nitrosamides, in *S. typhimurium*, 131
  - , *N*-nitrosamines, in *S. typhimurium*, 121
  - , nitrosocarbamates, in *S. typhimurium*, 131
  - , nitrosocyanamide, in *S. typhimurium*, 131
  - , nitrososarcosamide of neutral red, in *S. typhimurium*, 109
  - , nitrosoureas, in *S. typhimurium*, 131
  - , nitrovin, testing of, 313
  - , ornidazole, action of, 155
  - , 1,4-oxathiin, in *A. nidulans*, 163
  - , ozone, inhaled, in man, cytogenetic effects, 95
  - , panidazole, action of, 155
  - , para-aminosalicylic acid sodium salt, cytogenetic effects, *in vitro*, 215
  - , pesticides, nitrogenous, 225
  - , phenanthridinium compounds, *in vitro* metabolic activation, in *S. typhimurium*, 103
  - , *p*-phenylenediamine, in *D. melanogaster*, 181
  - , platinum(II), square-planar, in *S. typhimurium*, 139
  - , pollutants, of air, particulate, 237
  - , polycyclic hydrocarbons, 249
  - , —, in air pollutants, 237
  - , propachlor, weak recombinogenic activities, 113
  - , propenenitrite, studies, 271
  - , prothidium, in *S. typhimurium*, 103
  - , pyrazinamide, cytogenetic effects, *in vitro*, 215
  - , pyrolysates, of amino-acids, activity in *S. typhimurium*, 279
  - , rifampicin, cytogenetic effects, *in vitro*, 215
  - , screening, by simplified bacterial fluctuation test, 287
  - , streptozotocin, in *S. typhimurium*, 1
  - , tinidazole, mutagenic action, 155
  - , trichloroethylene, lethal effects in *S. cerevisiae*, 173
  - , 2,2,2-trifluoro-*N*-4-[(5-nitro-2-furyl)-2-thiazolyl]acetamide, mutagenic evaluation, 295
  - , vinyl chloride, in *D. melanogaster*, 327
  - , —, in *N. crassa* strains, 43
  - , vinyl cyanide, studies, 271
  - , viprymium embonate, microsomal activation of, to mutagen, 307

- , vitavax, resistance in *A. nidulans*, 163
- Mutant, histidine-requiring, of *S. typhimurium* TA 98, activity of aminoacid pyrolysates, 279
- Mutation, chlorophyll, effect of Argemone oil in *Oryza sativa*, 191
- , germ-cell, leading to foetal death, method for simultaneous detection of, and of malformations, in mammals, 267
- $\alpha$ -Naphthylamine, testing, 337
- Naphthyl-*N*-methylcarbamate, testing, 337
- Naphthyl-*N*-nitroso-*N*-methylcarbamate, testing, 337
- Neocarcinostatin, in *E. coli*, 195
- Neurospora crassa*, cells, mutation induction by F30066, 37
- , treatment with vinyl chloride, 43
- Neutral red, in *S. typhimurium*, 109
- Niclosamide, and testing of yomesan, 307
- Nicotine, of tobacco leaves, and mutagenic activity of cigarette smoke condensate, 319
- Niguroxime, mutagenic evaluation, 295
- Nitrate, content, and mutagenic activity of cigarette smoke condensate in *S. typhimurium*, 29
- , of tobacco leaves, and mutagenic activity of cigarette smoke condensate, 319
- Nitrobenzofuroxans, in *S. typhimurium*, 145
- 5-Nitro-2-furaldehyde oxime, mutagenic evaluation, 295
- 5-Nitro-2-furaldehyde semicarbazone, mutagenic evaluation, 295
- 5-Nitro-2-furamidoxine, mutagenic evaluation, 295
- Nitrofuran, derivatives, mutagenic evaluation, 295
- , food additive, nitrovin, testing, 313
- 5-Nitro-2-furanmethandiol diacetate, evaluation, in *S. typhimurium*, 295
- Nitrofurantoin, mutagenic evaluation, 295
- Nitrofurazone, mutagenic evaluation, 295
- , testing, 337
- N*-(5-Nitro-2-furfurylidine)-1-aminohydantoin, mutagenic evaluation, 295
- N*-[5-(5-Nitro-2-furyl)-1,3,4-thiadiazol-2-yl]-acetamide, evaluation, 295
- N*-*N'*-[6-(5-Nitro-2-furyl)-s-triazine-2,4-diyl]-bisacetamide, mutagenic evaluation, 295
- Nitrogen dioxide, inhalation, observations on mouse chromosomes following, 117
- Nitrogenous, fraction, of tobacco leaves, and mutagenic activity of cigarette smoke condensate, 319
- , pesticides, 225
- Nitroguanidine, testing, 337
- Nitroimidazoles, mutagenic action, 155
- 2-Nitro-*p*-phenylenediamine, testing, 337
- 4-Nitro-*o*-phenylenediamine, in *D. melanogaster*, 181
- , testing, 337
- 4-Nitroquinoline 1-oxide, testing, 337
- N*-Nitrosamides, in *S. typhimurium*, 131
- N*-Nitrosamines, in *S. typhimurium*, 121
- Nitrosation, by sodium nitrite, and mutagenicity of nitrogenous pesticides, 225
- Nitrosocarbamates, in *S. typhimurium*, 131
- Nitrosocyanamide, in *S. typhimurium*, 131
- N*-Nitrosodiphenylamine, testing, 337
- Nitrosohydantoic acid, testing, 337
- Nitrososarcosamide, of neutral red, in *S. typhimurium*, 109
- Nitrosoureas, in *S. typhimurium*, 131
- Nitrovin, testing of, 313
- Occupational, exposure, of persons to epichlorohydrin, analysis of aberrations, 355
- Ohmuta, mutagenic activity in particulate air pollutants, 237
- Oil, Argemone, effect in *Oryza sativa*, 191
- Oocytes, of NMRI mice, genetical hazards of chrysene, 249
- Ornidazole, action of, 155
- Oryza sativa*, effect of Argemone oil, 191
- 1,4-Oxathiin, in *A. nidulans*, 163
- Ozone, inhaled, in man, cytogenetic effects, 95
- Panidazole, action of, 155
- Para-aminosalicylic acid sodium salt, cytogenetic effects, *in vitro*, 215
- Paraoxy-isobutyl benzoate, testing, 337
- Particulate, air pollutants, mutagenic activity, 237
- Peripheral, blood, cultures, human, cytogenetic effects of anti-tuberculosis drugs, *in vitro*, 215
- , —, cytogenetic effects of inhaled ozone in man, 95
- , —, lymphocytes, chromosome studies of, from diphenylhydantoin-treated patients, 361
- Peritoneal cavity, of rat and mouse, host-mediated assay of captan and streptozotocin in *S. typhimurium*, 1
- Perylene, in air pollutants, mutagenic activity, 237
- Pesticides, nitrogenous, 225
- Phages,  $\lambda$ , T4 and  $\phi$ C, longevity of, in blood stream of mice, 367
- Phenacetin, testing, 337
- Phenanthrene, testing, 337
- Phenanthridinium compounds, *in vitro*

- metabolic activation, in *S. typhimurium*, 103
- Phenmedipham, nitrosation and mutagenicity, 225
- p*-Phenylenediamine, in *D. melanogaster*, 181
- Picene, in air pollutants, mutagenic activity, 237
- Piperazine adipate, and divermex testing, 307
- Piperazine citrate, and testing of antepar, 307
- Piperazine phosphate, plus senna, and testing of pripsen, 307
- Plant-activation bioassay, weak recombinogenic activities in alachlor and propachlor, using, 113
- Plasma, of rat or mouse, host-mediated assay of captan and streptozotocin in *S. typhimurium*, 1
- Platinum(II), compounds, square-planar, in *S. typhimurium*, 139
- Pollutants, of air, particulate, mutagenic activity, 237
- Polycyclic, hydrocarbons, in air pollutants, mutagenic activity, 237
- , —, mutagenicity, 249
- Potassium metabisulphate, testing, 337
- Potassium sorbate, testing, 337
- Pripsen, mutagenicity testing, 307
- Propachlor, weak recombinogenic activities, 113
- Propane sultone, testing, 337
- Propenenitrite, mutagenic studies, 271
- Propham, nitrosation and mutagenicity, 225
- $\beta$ -Propiolactone, testing, 337
- Propoxur, nitrosation and mutagenicity, 225
- N*-Propyl-*N'*-nitroguanidine, testing, 337
- N*-Propyl-*N'*-nitro-nitrosoguanidine, testing, 337
- N*-Propyl-*N*-nitroso-urea, testing, 337
- N*-Propyl-*N*-nitroso-urethane, testing, 337
- Propylurea, testing, 337
- N*-Propylurethane, testing, 337
- Propyzamid, nitrosation and mutagenicity, 225
- Protein, antitumour, neocarzinostatin, effect on *E. coli*, 195
- Protein nitrogen, of tobacco leaves, and mutagenic activity of cigarette smoke condensate, 319
- Prothidium, in *S. typhimurium*, 103
- Pteroside A, B, and C, testing, 337
- Pterosin A, B, C, F and L, testing, 337
- Pyrantel embonate, and testing of combantrin, 307
- Pyrazinamide, cytogenetic effect, *in vitro*, 215
- Pyridine, testing, 337
- Pyrolysates, of aminoacids, in *S. typhimurium*, 279
- Pyrolysis, temperatures, and activity of aminoacid pyrolysates in *S. typhimurium*, 279
- Quinic acid, testing, 337
- Quinoline, testing, 337
- Rat, and host-mediated assay of captan and streptozotocin in *S. typhimurium*, 1
- , micronucleus test, evaluation of nitro-furan derivatives, 295
- Recombinogenic, activities, weak, in alachlor and propachlor, 113
- Repair systems, of DNA, effect of, on activity of neocarzinostatin, 195
- Resistance, to chloroneb and vitavax, in *A. nidulans*, 163
- , to streptomycin, mutagenic action of nitroimidazoles, 155
- Reversion, test, effect of neocarzinostatin on *E. coli*, 195
- Ribose, solutions,  $\gamma$ -irradiated, in *S. typhimurium*, 17
- Rice, seed, effect of Argemone oil, 191
- Rifampicin, cytogenetic effects, *in vitro*, 215
- Saccharin sodium, testing, 337
- Saccharomyces cerevisiae*, cells, mutation induction by F30066, 37
- , lethal effects of  $\alpha$ -benzene hexachloride, dibutyl phthalate and trichloroethylene, 173
- Salmonella typhimurium*, cells, mutation induction by F30066, 37
- , evaluation of nitro-furan derivatives, 295
- , host-mediated assay of captan and streptozotocin, 1
- , *in vitro* metabolic activation of ethidium bromide and other phenanthridinium compounds, 103
- , liver-microsome assay, studies with acrylonitrile, 271
- , mutagenic activity in particulate air pollutants, 237
- , mutagenicity of anti-cancer nitrobenzofuroxans, 145
- , mutagenicity of irradiated sugar solutions in, 17
- , mutagenicity of neutral red, 109
- , mutagenicity of nitrogenous pesticides, 225
- , mutagenicity of *N*-nitrosamides, and related compounds, 131
- , mutagenicity of *N*-nitrosamines, 121



- , square-planar platinum(II) compounds, 139
- , TA 98, activity of amino acid pyrolysates, 279
- , TA 98 and 100, mutagenicity of nitrovin, 313
- , TA 1538, factors affecting mutagenic activity of cigarette smoke condensate, 29
- , test system, evaluation of anthelmintics, 307
- Salmonella typhimurium*—microsome test, genetical hazards of chrysene, 249
- Schistosomiasis japonica*, mutation induction by drug F30066 in various test systems, 37
- Screening, for chemical carcinogens, tests with 134 compounds, 337
- , of mutagen, by simplified bacterial fluctuation test, 287
- Seed, of rice, effect of Argemone oil, 191
- Shikimic acid, testing, 337
- Smoke, condensate, of cigarette, chemical constituents of tobacco and activity of, 319
- , —, —, in *S. typhimurium*, factors affecting mutagenic activity, 29
- Sodium benzoate, nitrate and nitrite, testing, 337
- Sodium dehydroacetate, testing, 337
- Sodium nitrite, nitrosation, and mutagenicity of nitrogenous pesticides, 225
- Solutions, of sugar,  $\gamma$ -irradiated, in *S. typhimurium*, 17
- Somatic, crossing-over, and hycanthone methanesulphonate treatment in *Glycine max*, 187
- Spermatocytes, of mouse, analysis of, after nitrogen dioxide inhalation, 117
- Spermatogenesis, post-meiotic, treatment of male mice with methyl methanesulphonate, 75
- Spermatogonia, of Chinese hamster, genetical hazards of chrysene *in vitro* and *in vivo*, 249
- Spot test, bacterial, mutagenicity of nitrogenous pesticides, 225
- , effect of neocarzinostatin on *E. coli*, 195
- Square-planar platinum(II) compounds, in *S. typhimurium*, 139
- Strains, isogenic, of *E. coli*, effect of neocarzinostatin, 195
- , of *N. crassa*, lack of mutagenicity, 43
- Streak, test, effect of neocarzinostatin on *E. coli*, 195
- Streptomyces carzinostaticus*, effect of neocarzinostatin on *E. coli*, 195
- Streptomycin resistance, mutagenic action of nitroimidazoles, 155
- Streptozotocin, in *S. typhimurium*, 1
- Sucrose, solutions,  $\gamma$ -irradiated, in *S. typhimurium*, 17
- Sugar, solutions,  $\gamma$ -irradiated, in *S. typhimurium*, 17
- Sunset yellow FCF, testing, 337
- Swep, nitrosation and mutagenicity, 225
- System, of repair, of DNA, effect of, on activity of neocarzinostatin, 195
- Temperatures, of pyrolysis, and activity of aminoacid pyrolysates, in *S. typhimurium*, 279
- Teratogenicity, male, method for simultaneous detection of germ-cell mutations leading to foetal death, and of, in mammals, 267
- Test, of chromosomes, with 134 compounds on Chinese hamster cells, *in vitro*, 337
- , fluctuation, bacterial, simplified, mutagen screening by, 287
- , —, mutagenic action of nitroimidazoles, 155
- , micronucleus, evaluation of nitrofurans derivatives, 295
- , *Salmonella*—microsome, genetical hazards of chrysene, 249
- , spot, bacterial, mutagenicity of nitrogenous pesticides, 225
- , system, microsomal, factors affecting mutagenic activity of cigarette smoke condensate in *S. typhimurium*, 29
- , —, mutation induction by F30066, 37
- , —, of *S. typhimurium*, evaluation of anthelmintics, 307
- , translocation, heritable, treatment with methyl methanesulphonate in male mice, 75
- Test-tube, test, effect of neocarzinostatin on *E. coli*, 195
- Thiabendazole, and testing of mintezol, 307
- Tinidazole, mutagenic action, 155
- Tobacco, chemical constituents of, and activity of cigarette smoke condensate, 319
- , factors affecting mutagenic activity of cigarette smoke condensate in *S. typhimurium*, 29
- 4-*o*-Tolylazo-*v*-toluidine, testing, 337
- Total nitrogen, of tobacco leaves, and mutagenic activity of cigarette smoke condensate, 319
- Translocation test, heritable, treatment with methyl methanesulphonate in male mice, 75

- Treat and plate test, effect of neocarcinostatin on *E. coli*, 195
- Trichloroethylene, lethal effects in *S. cerevisiae*, 173
- 2,2,2-Trifluoro-N-4-[5(5-nitro-2-furyl)-2-thiazolyl] acetamide, mutagenic evaluation, 295
- Triphenylene, in air pollutants, mutagenic activity, 237
- Trypanocidal agents, metabolic activation of ethidium bromide and other phenanthridinium compounds, in *S. typhimurium*, 103
- Tuberculosis, anti-, drugs, *in vitro* cytogenetic effects, 215
- Tumour, anti-, protein, neocarcinostatin, effect on *E. coli*, 195
- Tween 60, and 80, testing, 337
- Urea, testing, 337
- Urethane, testing, 337
- Urine, of rat or mouse, host-mediated assay of captan and streptozotocin in *S. typhimurium*, 1
- Vanquin, mutagenicity testing, 307
- Vinyl chloride, in *D. melanogaster*, 327  
—, in *N. crassa* strains, 43
- Vinyl cyanide, mutagenic studies, 271
- Vipryinium embonate, microsomal activation of, to mutagen, 307
- Vitavax, resistance in *A. nidulans*, 163
- Yeast, cells, lethal effects of  $\alpha$ -benzene hexachloride, dibutyl phthalate and trichloroethylene, 173
- Yomesam, mutagenicity testing, 307

